



10 Year Communicable Disease Report 2006 - 2015

| Class A | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|------|------|------|------|------|------|------|------|------|------|
| Anthrax | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Botulism, foodborne | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cholera | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Diphtheria | * | * | * | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Influenza A - novel virus | * | * | * | 8 | 0 | 0 | 5 | 0 | 0 | 0 |
| Measles | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meningococcal Disease | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| Middle East Respiratory Syndrome (MERS) | * | * | * | * | * | * | * | * | 0 | 0 |
| Plague | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rabies, human | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rubella (not congenital) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Severe Acute Respiratory Disease (SARS) | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smallpox | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tularemia | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Viral Hemorrhagic Fever (VHF) | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Yellow Fever | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Class B | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|---|------|------|------|-------|-------|-------|-------|-------|-------|-------|
| Amebiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Babesiosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Botulism, infant | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Botulism, wound | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brucellosis | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Campylobacteriosis | 43 | 30 | 46 | 49 | 34 | 34 | 27 | 28 | 24 | 29 |
| Chancroid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chlamydia infection* | * | * | * | 3,309 | 3,452 | 3,373 | 3,172 | 3,193 | 3,183 | 3,103 |
| Coccidioidomycosis | 1 | 0 | 0 | 3 | 1 | 0 | 2 | 0 | 0 | 0 |
| Creutzfeldt-Jakob disease | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cryptosporidiosis | 11 | 13 | 16 | 6 | 2 | 5 | 1 | 2 | 0 | 7 |
| Cyclosporiasis | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cytomegalovirus - congenital (CMV) | 3 | 0 | 3 | 3 | 2 | 0 | 2 | 5 | * | * |
| Dengue Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E. coli 0157:H7 and other enterohemorrhagic E. coli | 11 | 12 | 10 | 6 | 3 | 7 | 22 | 5 | 7 | 0 |
| Ehrlichiosis/Anaplasmosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Giardiasis | 14 | 25 | 34 | 28 | 23 | 16 | 21 | 20 | 13 | 9 |
| Gonorrhea* | * | * | * | 1,262 | 1,567 | 1,350 | 1,213 | 1,230 | 968 | 1,079 |
| Haemophilus influenzae (invasive disease) | 9 | 12 | 10 | 11 | 11 | 16 | 14 | 10 | 4 | 14 |
| Hantavirus | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hemolytic Uremic Syndrome (HUS) | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 |



10 Year Communicable Disease Report 2006 - 2015

| Class B (continued) | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|--|------|------|------|------|------|------|------|------|------|------|
| Hepatitis A | 3 | 3 | 8 | 0 | 10 | 1 | 1 | 1 | 0 | 1 |
| Hepatitis B, acute/chronic | 64 | 60 | 42 | 48 | ‡ | ‡ | ‡ | ‡ | ‡ | 52 |
| Hepatitis B, perinatal | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis C, acute/chronic** | 560 | 462 | 388 | 318 | ‡ | ‡ | ‡ | 511 | 660 | 627 |
| Hepatitis D (delta hepatitis) | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis E | * | * | * | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Influenza-associated hospitalization | * | * | * | 222 | 10 | 114 | 135 | 186 | 460 | 249 |
| Influenza-associated pediatric mortality | * | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| LaCrosse Virus Disease | * | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Legionnaires' Disease | 5 | 11 | 8 | 5 | 12 | 25 | 10 | 31 | 32 | 51 |
| Leprosy (Hansen disease) | * | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Leptospirosis | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Listeriosis | 1 | 1 | 0 | 2 | 2 | 2 | 1 | 1 | 0 | 1 |
| Lyme disease | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 4 | 9 | 4 |
| Malaria | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 3 | 4 | 2 |
| Meningitis, aseptic (viral) | 49 | 45 | 53 | 50 | 42 | 88 | 41 | 41 | 33 | 44 |
| Meningitis, bacterial | 4 | 5 | 9 | 9 | 7 | 10 | 10 | 11 | 11 | 9 |
| Mumps | 2 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Mycobacterial disease, other than tuberculosis (MOTT) | 19 | 40 | 42 | 41 | 42 | 45 | 57 | 43 | 30 | 34 |
| Pertussis | 18 | 25 | 10 | 26 | 37 | 3 | 32 | 187 | 73 | 50 |
| Poliomyelitis (including vaccine-associated cases) | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacosis | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Q Fever | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rocky Mountain spotted fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rubella (congenital) | * | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmonellosis | 45 | 50 | 54 | 38 | 58 | 40 | 54 | 35 | 58 | 68 |
| Shigellosis | 10 | 55 | 339 | 25 | 4 | 15 | 165 | 32 | 5 | 23 |
| Staphylococcus aureus, with resistance or intermediate resistance to vancomycin (VRSA, VISA) | * | 1 | 0 | 1 | 0 | 2 | 4 | 1 | 1 | 0 |
| Streptococcal disease, group A, invasive | 14 | 11 | 8 | 9 | 16 | 27 | 19 | 11 | 24 | 20 |
| Streptococcal disease, group B, newborn | 7 | 4 | 4 | 4 | 1 | 3 | 4 | 2 | 3 | 4 |
| Streptococcal toxic shock syndrome | 0 | 0 | 0 | 2 | 1 | 5 | 1 | 0 | 0 | 0 |
| Streptococcus pneumoniae, invasive | 92 | 87 | 73 | 82 | 98 | 106 | 77 | 57 | 61 | 50 |

‡ Data not available due to data entry error at the State level



10 Year Communicable Disease Report 2006 - 2015

| Class B (continued) | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|--|------|------|------|------|------|------|------|------|------|------|
| Syphilis* | | | | | | | | | | |
| Primary | 0 | 2 | 1 | 4 | 1 | 4 | 3 | 5 | 1 | 8 |
| Secondary | 4 | 5 | 7 | 11 | 7 | 13 | 25 | 16 | 14 | 10 |
| Early Latent (< 1 year) | 4 | 5 | 11 | 9 | 6 | 16 | 21 | 15 | 13 | 19 |
| Late Latent (>1) asymptomatic | 0 | 0 | 1 | 12 | 17 | 25 | 15 | 28 | 12 | 21 |
| Late with symptoms (not neurosyphilis) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Unknown Latent | 13 | 9 | 5 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| Total | 21 | 21 | 25 | 36 | 31 | 59 | 66 | 64 | 40 | 58 |
| Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Toxic shock syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Trichinosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuberculosis | 4 | 2 | 1 | 10 | 9 | 16 | 11 | 17 | 8 | 7 |
| Typhoid fever | 1 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 |

| Class C - Outbreaks | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|-----------------------|------|------|------|------|------|------|------|------|------|------|
| Community | * | * | * | 1 | 0 | 0 | 1 | 0 | 0 | 0 |
| Foodborne | * | * | * | 3 | 2 | 0 | 1 | 0 | 2 | 0 |
| Healthcare-associated | * | * | * | 3 | 2 | 1 | 1 | 2 | 0 | 5 |
| Institutional | * | * | * | 5 | 2 | 5 | 5 | 1 | 4 | 6 |
| Waterborne | * | * | * | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| Zoonotic | * | * | * | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

* Indicates data not available or no longer reported

** Chlamydia, Gonococcal Infections, and Syphilis cases may be adjusted depending on data received from ODH

‡ Data not available due to data entry error at the State level